

Submission of papers

Manuscripts for the main part of the journal should be submitted to the Editor-in-Chief, Professor H. Herman, or for authors in Japan to Professor H. Kimura:

Professor Herbert Herman
Department of Materials Science and Engineering
State University of New York at Stony Brook
Long Island, NY 11794, U.S.A.

Professor Hiroshi Kimura
Research Institute for Iron, Steel and Other Metals
Tohoku University
Sendai, Japan

Manuscripts for the Letters Section should be submitted as follows:

For authors in Europe except Great Britain

Professor Haël Mughrabi
Institut für Werkstoffwissenschaften
Universität Erlangen-Nürnberg
Martensstrasse 5, D-8520 Erlangen, F.R.G.

For authors in Japan

Professor Hiroshi Kimura
Research Institute for Iron, Steel and Other Metals
Tohoku University
Sendai, Japan

For authors in North and South America,
Great Britain and the rest of the world

Professor Herbert Herman
Department of Materials Science and Engineering
State University of New York at Stony Brook
Long Island, NY 11794, U.S.A.

Manuscripts

Three copies should be submitted to the Editor, in double-spaced typing on pages of uniform size and with wide margins (Letters should not exceed 2000 words). All tables and illustrations should bear a title or legend.

An abstract should accompany reviews, original papers and Letters. It should present (preferably in 100-150 words; 50 words or less for Letters) a brief and factual account of the contents and conclusions of the paper, and an indication of the relevance of new material.

References should be indicated by numerals in square brackets, introduced consecutively and appropriately in the text. References must be listed on separate sheet(s) at the end of the paper. Every reference appearing in the text should be quoted in the reference list, and vice versa.

One set of line drawings should be in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper (letter height, 3-5 mm). Photographs should be high contrast glossy black-and-white prints; duplicates of micrographs should be provided wherever possible to facilitate the refereeing process. Where magnifications are concerned, it is preferable to indicate the scale by means of a ruled scale bar on the photograph. Legends to illustrations should be typed in sequence on a separate page.

Authors must express all quantities in SI units, with other units in parentheses if desired.

CONTENTS (continued)

New concept in the evaluation of the stability of carbides	L21
V. Walder (Dobrá, Czechoslovakia), F. Maršík (Prague, Czechoslovakia) and K. Mazanec (Ostrava-Poruba, Czechoslovakia)	
Computerized integration of electron beam rapid solidification and heat treatment	L25
A. Iwata, A. Tauqir and P. R. Strutt (Storrs, CT, U.S.A.)	
The occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation	L31
J. I. Dickson, S. Turenne, H. Bande and G. L'Espérance (Montreal, Quebec, Canada)	
Bauschinger effect in precipitation-strengthened aluminium alloy 2024	L35
A. Aran, M. Demirkol and A. Karabulut (Kocaeli, Turkey)	
The effect of finite amplitude perturbations on the stability of continuous phases	L41
AUTHOR INDEX	181
SUBJECT INDEX	183

CONTENTS

SPECIAL REVIEW

The structure of internal interfaces: report of a discussion meeting	1
R. W. Balluffi (Cambridge, MA, U.S.A.), M. Rühle (Santa Barbara, CA, U.S.A.) and A. P. Sutton (Oxford, U.K.)	
Low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel	17
Y. G. Kim, C. S. Lee and G. S. Kim (Seoul, South Korea)	
Steady state creep deformation of superalloy Inconel 718.	25
Y. Han and M. C. Chaturvedi (Winnipeg, Manitoba, Canada)	
Resistivity of fatigued copper single crystals.	35
J. Polák (Brno, Czechoslovakia)	
The development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment	45
S. R. Ortner, C. Laird and G. C. Farrington (Philadelphia, PA, U.S.A.)	
Internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study.	53
H. M. Ledbetter and M. W. Austin (Boulder, CO, U.S.A.)	
Machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems.	63
S. I. Hong and C. Laird (Philadelphia, PA, U.S.A.)	
A numerical model for prediction of creep fracture	73
J. S. Wang and W. D. Nix (Stanford, CA, U.S.A.)	
Creep, fatigue and their interaction in coated and uncoated René 80.	81
H. J. Kolkman (Emmeloord, The Netherlands)	
Effects of stress-aided static recovery in iteratively cold-worked aluminium and copper	93
M. Zehetbauer and D. Trattner (Vienna, Austria)	
Consolidation of a rapidly solidified titanium alloy by hot isostatic pressing	103
C. H. Smith (Schenectady, NY, U.S.A.)	
Ordering and solute segregation to dislocations in Cu-20at.%Mn.	119
A. Varschavsky (Santiago, Chile)	
An alternative approach to processing dispersion-stabilized superalloys	129
C. H. Smith (Schenectady, NY, U.S.A.) and N. J. Grant (Cambridge, MA, U.S.A.)	
Superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247.	145
P. Shen, C. C. Chou, M. J. Tsai and C. C. Lin (Kaohsiung, Taiwan)	
Microstructural characterization of rapidly solidified Nb-Si alloys	151
L. Bendersky, F. S. Biancanello, W. J. Boettinger (Gaithersburg, MD, U.S.A.) and J. H. Perepezko (Madison, WI, U.S.A.)	
The influence of subcritical crack growth on the strength of ceramics	161
A. Krell and W. Pompe (Dresden, G.D.R.)	

CORRESPONDENCE

Discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys" . .	169
P. J. Meschter and R. J. Lederich (St. Louis, MO, U.S.A.)	
A reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys'"	171
M. C. Pandey (Hyderabad, India), J. Wadsworth (Palo Alto, CA, U.S.A.) and A. K. Mukherjee (Davis, CA, U.S.A.)	

CONFERENCE CALENDAR	175
-------------------------------	-----

LETTERS

The three-dimensional shape of loop patches produced by cyclic deformation.	L1
J. I. Dickson, L. Handfield, S. Turenne and G. L'Espérance (Montreal, Quebec, Canada)	
Effect of particle size on the creep rate of superalloy Inconel 718.	L7
M. C. Chaturvedi and Y. Han (Winnipeg, Manitoba, Canada)	
Current pulse heating of Co-Fe-Si-B metallic glass	L11
A. Zaluska and H. Matyja (Warsaw, Poland)	
β -Ni ₄ W phase precipitation in nickel-based superalloy	L15
H. Terashima, Y. Ohta and Y. G. Nakagawa (Tokyo, Japan)	
Parameters in the Hertz theory of contact between two bodies.	L19
M. I. Darby, G. R. Evans and B. C. Jones (Salford, U.K.)	

(continued on inside back cover)

